





高频高阻抗 YN-NT-C-HF 纳米晶磁芯系列



P/N	磁芯实际规格尺寸 mm	磁芯重量 g	100KHz, 1.0V	
			AL (uH) (100KHz) ±25%	磁导率 (100KHz) ±25%
YN-NT-C-HF120805T	12/08*5	1.8	9.2	30000
YN-NT-C-HF161008T	16/10*8	5.5	17.0	30000
YN-NT-C-HF211508T	21/15*8	7.6	12.3	30000
YN-NT-C-HF251510T	25/15*10	17.6	23.4	30000
YN-NT-C-HF241710T	24/17*10	13.0	15.8	30000
YN-NT-C-HF281810T	28/18*10	20.0	19.4	30000
YN-NT-C-HF281815T	28/18*15	30.5	30.0	30000
YN-NT-C-HF302010T	30/20*10	22.0	18.5	30000
YN-NT-C-HF322015T	32/20*15	41.3	32.0	30000
YN-NT-C-HF332015T	33/20*15	46.0	33.9	30000
YN-NT-C-HF402515T	40/25*15	64.0	32.0	30000
YN-NT-C-HF462725T	46/27*25	153.0	60.0	30000
YN-NT-C-HF503220T	50/32*20	130	40.5	30000
YN-NT-C-HF594020T	59/40*20	165	35.5	30000



高频高磁导率高阻抗-SF40 型系列纳米晶磁芯



P/N Part Number	Core Size mm	Core weight g	100KHz, 0.3V	
			AL (uH) (100KHz) ±25%	磁导率 (100KHz) ±25%
YN-NT-C-HF141008T	14/10*8	4	15.2	38000
YN-NT-C-HF161008T	16/10*8	6	21.5	38000
YN-NT-C-HF211508T	21/15*8	8	15.5	38000
YN-NT-C-HF241710T	24/17*10	13	20	38000
YN-NT-C-HF251510T	25/15*10	18	29.2	38000
YN-NT-C-HF281810T	28/18*10	20	25.3	38000
YN-NT-C-HF281815T	28/18*15	31	38.2	38000
YN-NT-C-HF302010T	30/20*10	22	23.4	38000
YN-NT-C-HF332310T	33/23*10	25	20.7	38000
YN-NT-C-HF322015T	32/20*15	41	40.5	38000
YN-NT-C-HF332015T	33/20*15	46	43	38000
YN-NT-C-HF372415T	37/24*15	53	37.3	38000
YN-NT-C-HF402515T	40/25*15	64	40.5	38000
YN-NT-C-HF462715T	46/27*15	92	45.6	38000
YN-NT-C-HF503220T	50/32*20	130	51.3	38000
YN-NT-C-HF594020T	59/40*20	165	44.8	38000

